




BC-2T

Stereo Audio/Control Bulk Cable



Kramer's BC-2T is a high-quality, dual shielded pair cable designed for routing balanced stereo mic or line level audio signals in commercial or residential AV systems

FEATURES

- Quality Construction** - Rugged and flexible jacket with sequential markings every meter
- Easy Stripping** - Exceptionally easy to strip because the foil shield is bonded to the inside of the jacket
- Length** - Available in reels of 300m (985ft)



TECHNICAL SPECIFICATIONS

CONDUCTORS	Material: Tinned Copper
	Size: 4x20AWG
	Diameter: 0.916mm
INSULATION	Material: PP
	Diameter: 1.8±0.09mm
	Average Thickness: 0.442mm
	Color: As color code
DRAIN WIRE	Size: 20AWG
	Material: Tinned Copper
SCREENING	Material: AL-foil/mylar
	Overlap: 25% min
JACKET	Material: PVC
	Diameter: 6.2 ± 0.19mm
	Color: Black
	Electrical specifications.:
ELECTRICAL	Temperature Rating: 75°C
	Insulation Resistance: DC-500V 100MΩ/KM MIN. at 20°C
	Conductor Resistance: 20AWG-34.6Ω/KM MAX. at 20°C
	Impedance: 40~100Ω
STANDARDS COMPLIANCE	UL: CM
	RoHS: 2011/65/ EU



CONFIGURATIONS

BC-2T-300M	2 Shielded Pair: 20 AWG Audio or Control Bulk Cable
------------	---
