


Kramer Connect

Cables, Adapters, Connectors, Table Boxes, Inserts, Wall Plates, AV Tools, and More



kramerav.com

Cables & Adapters



Cable Assemblies

USB 3.2

USB-C Full Featured

C-U32/FF

USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Passive Cable



C-U32/FF-3	0.9 m
C-U32/FF-6	1.8 m

USB 3.2 GEN

Full Featured USB-C (M) to USB-C (M) Flaxable passive Cable



C-U32/MFF-6	1.8 m
C-U32/MFF-10	3 m
C-U32/MFF-15	4.6 m

CA-U32/FF

USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Active Cable



C-U32/FF-10	3.0 m
C-U32/FF-15	4.6 m

CLS-AOCU32/FF

USB 3.2 GEN-2 Full Featured USB-C (M) to USB-C (M) Active AOC Cable



CLS-AOCU32/FF-15	4.6 m
CLS-AOCU32/FF-25	7.6 m
CLS-AOCU32/FF-35	10.7 m

USB-C DATA Only

C-USB31/CA-3

USB 3.2 GEN-2 Cables USB-C (M) to USB-A (M) — 3ft



C-USB31/CB-3

USB 3.2 GEN-2 Cables USB-C (M) to USB-B (M) — 3ft



CA-USB31/CCE

USB 3.2 GEN-2 Data only USB-C (M) to USB-C (F) Active Cable



CA-USB31/CCE-10	3.0 m
CA-USB31/CCE-15	4.6 m

CA-USB31/CAE

USB 3.2 GEN-2 Data only USB-C (M) to USB-A (F) Active Cable



ISB31/CAE-10	3.0 m
ISB31/CAE-15	4.6 m

CLS-AOCU31/CC

USB 3.2 GEN-2 Data only USB-C (M) to USB-C (M) Active AOC Cable



CLS-AOCU31/CC-10	3.0 m
CLS-AOCU31/CC-15	4.6 m
CLS-AOCU31/CC-25	7.6 m
CLS-AOCU31/CC-35	10.7 m
CLS-AOCU31/CC-50	15.2 m

CP-AOCU31/CC

USB 3.2 GEN-2 Data only USB-C (M) to USB-C (M) Active AOC Cable- Plenum Rated



CP-AOCU31/CC-10	3.0 m
CP-AOCU31/CC-15	4.6 m
CP-AOCU31/CC-25	7.6 m
CP-AOCU31/CC-35	10.7 m
CP-AOCU31/CC-50	15.2 m

USB C VIDEO Only

C-USBC/HM

USB Type-C (M) to HDMI (M) Cable



C-USBC/HM-6	1.8 m
C-USBC/HM10	3.0 m
C-USBC/HM-15	4.6 m

CLS-AOCU/CH

Active Optical 4K USB Type C (M) to HDMI (M) — Low Smoke & Halogen Free



CLS-AOCU/CH-15	4.6 m
CLS-AOCU/CH-33	10 m
CLS-AOCU/CH-50	15.2 m
CLS-AOCU/CH-66	20 m
CLS-AOCU/CH-98	30 m

CP-AOCU/CH

Active Optical 4K USB Type C (M) to HDMI (M) — Plenum Rated



CP-AOCU/CH-15	4.6 m
CP-AOCU/CH-33	10 m
CP-AOCU/CH-50	15.2 m
CP-AOCU/CH-66	20 m
CP-AOCU/CH-98	30 m

Cable Assemblies

USB 3.0

Passive

C-USB3/AA

USB 3.0 A (M) to A (M) Cable



C-USB3/AA-3	0.9 m
C-USB3/AA-6	1.8 m

C-USB3/AAE

USB 3.0 A (M) to A (F) Extension Cable



C-USB3/AAE-3	0.9 m
C-USB3/AAE-6	1.8 m
C-USB3/AAE-10	3 m

C-USB3/AB

USB 3.0 A (M) to B (M) Cable



C-USB3/AB-3	0.9 m
C-USB3/AB-6	1.8 m
C-USB3/AB-3	3.0 m
C-USB3/AB-6	4.6 m

Active

CA-USB3/AAE

USB 3.0 Active Extender Cable



CA-USB3/AAE-15	4.6m
CA-USB3/AAE-25	7.6m
CA-USB3/AAE-35	10.6m
CA-USB3/AAE-50	15.2m

USB 2.0

Passive

C-USB/AA

USB 2.0 A (M) to A (M) Cable



C-USB/AA-3	0.9 m
C-USB/AA-6	1.8 m
C-USB/AA-10	3.0 m
C-USB/AA-15	4.6 m

C-USB/AB

USB 2.0 A (M) to B (M) Cable



C-USB/AB-3	0.9 m
C-USB/AB-6	1.8 m
C-USB/AB-10	3.0 m
C-USB/AB-15	4.6 m

Active

CA-UAM/UAF

USB 2.0 Active Extender Cable



CA-UAM/UAF-15	4.6 m
CA-UAM/UAF-25	7.6 m
CA-UAM/UAF-35	10.7 m
CA-UAM/UAF-50	15.2 m
CA-UAM/UAF-65	19.5 m

CPA-UAM/UAF

USB Active Extender Cable — Plenum Rated



CPA-UAM/UAF-25	7.6 m
CPA-UAM/UAF-35	10.7 m
CPA-UAM/UAF-50	15.2 m

Cable Assemblies

HDMI™

Passive

C-HMU

Ultra High-Speed HDMI Cable with Ethernet



C-HMU-3	0.9 m	8K@60 Hz
C-HMU-6	1.8 m	8K@60 Hz
C-HMU-10	3 m	8K@60 Hz
C-HMU-15	4.6 m	8K@60 Hz

C-HM/HM

Premium High-Speed Cable With Ethernet



C-HM/HM-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM-10	3.0 m	4K@60 Hz (4:4:4)
C-HM/HM-15	4.6 m	4K@60 Hz (4:4:4)
C-HM/HM-25	7.6 m	1080p@60 Hz 36 bit
C-HM/HM-35	10.6 m	1080p@60 Hz 36 bit
C-HM/HM-50	15.2 m	1080p@60 Hz

C-HM/HM/PRO

Premium High-Speed HDMI Cable with Ethernet



C-HM/HM/PRO-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-10	3.0 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-15	4.6 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-20	6.1 m	4K@60 Hz (4:4:4)
C-HM/HM/PRO-25	7.6 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-35	10.6 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-40	12 m	4K@60 Hz (4:2:0)
C-HM/HM/PRO-50	15.2 m	1080p@60 Hz 36 bit
C-HM/HM/PRO-65	19.5 m	1080p@60 Hz

C-MHM/MHM

Flexible High-Speed HDMI Cable with Ethernet



C-MHM/MHM-1	0.3 m	4K@60 Hz (4:4:4)
C-MHM/MHM-2	0.6 m	4K@60 Hz (4:4:4)
C-MHM/MHM-3	0.9 m	4K@60 Hz (4:4:4)
C-MHM/MHM-6	1.8 m	4K@60 Hz (4:4:4)
C-MHM/MHM-10	3.0 m	4K@60 Hz (4:4:4)
C-MHM/MHM-15	4.6 m	1080P 12-bit
C-MHM/MHM-25	7.6 m	1080P 12-bit
C-MHM/MHM-35	10.70m	1080P 12-bit
C-MHM/MHM(W)-3	0.90m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-6	1.80m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-10	3.00m	4K@60Hz (4:4:4)
C-MHM/MHM(W)-15	4.60m	1080P 12-bit
C-MHM/MHM(W)-25	7.60m	1080P 12-bit
C-MHM/MHM(W)-35	10.70m	1080P 12-bit

C-HM/HM/PICO

Ultra-Slim Flexible High-Speed HDMI Cable with Ethernet



C-HM/HM/PICO/BK-1	0.3 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-2	0.6 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/BK-10	3.0 m	4K@60 Hz (4:2:0)
C-HM/HM/PICO/WH-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/WH-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM/PICO/WH-10	3.0 m	4K@60 Hz (4:2:0)

available colors



Adapter Cable HDMI-HDMI

ADC-HM/HF/PICO	0.3 m	4K@60H Hz (4:4:4)
C-HM/HM/PICO/BK-5	1.5 m	4K@60H Hz (4:4:4)

C-HM/ETH

Entry-level High speed HDMI cable with Ethernet



C-HM/ETH-3	0.9m	4K@60 Hz (4:4:4)
C-HM/ETH-6	1.8m	4K@60 Hz (4:4:4)
C-HM/ETH-10	3.0m	4K@60 Hz (4:4:4)
C-HM/ETH-15	4.6m	4K@60 Hz (4:4:4)
C-HM/ETH-25	7.6m	4K@60 Hz (4:2:0)
C-HM/ETH-35	10.6m	4K@60 Hz (4:2:0)
C-HM/ETH-50	15.2m	1080P@60 Hz

CLS-HM/HM/ETH

High-Speed HDMI Cable with Ethernet — Low Smoke & Halogen Free



CLS-HM/HM/ETH-3	0.9 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-6	1.8 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-10	3.0 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-15	4.6 m	4K@60Hz (4:4:4)
CLS-HM/HM/ETH-25	7.6 m	4K@60Hz (4:2:0)
CLS-HM/HM/ETH-35	10.7 m	4K@60Hz (4:2:0)
CLS-HM/HM/ETH-50	15.2 m	1080p@60Hz

CP-HM/HM/ETH

High-Speed HDMI Cable with Ethernet — Plenum Rated

Only in N. America



CP-HM/HM/ETH-15	4.6 m	4K@60Hz (4:4:4)
CP-HM/HM/ETH-25	7.6 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-35	10.7 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-40	12.0 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-45	13.7 m	4K@60Hz (4:2:0)
CP-HM/HM/ETH-50	15.2 m	1080p@60Hz 12-bit

C-MHMA/MHMA

Flexible High-Speed HDMI Cable with Ethernet & 3.5mm Stereo Audio



C-MHMA/MHMA-10	3.0 m	4K@60Hz (4:4:4)
C-MHMA/MHMA-15	4.6 m	4K@60Hz (4:4:4)

Cable Assemblies

HDMI™

Passive

C-HM/HM/FLAT/ETH

Flat High-Speed HDMI Cable with Ethernet



C-HM/HM/FLAT/ETH-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-10	3.0 m	4K@60 Hz (4:4:4)
C-HM/HM/FLAT/ETH-15	4.6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-25	7.6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-35	10.6 m	4K@60 Hz (4:2:0)
C-HM/HM/FLAT/ETH-50	15.2 m	1080p@60Hz 12-Bit
C-HM/HM/FLAT/ETH-75	22.9 m	1080p@60 Hz*

C-HM/HM/A-C

High-Speed HDMI with Ethernet to Mini HDMI Cable



C-HM/HM/A-C-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/HM/A-C-6	1.8 m	4K@60 Hz (4:2:0)
C-HM/HM/A-C-10	3.0 m	4K@60 Hz (4:2:0)

Active

CA-HM

Active High Speed HDMI Cable with Ethernet



CA-HM-15	4.6 m	4K@60 Hz (4:4:4)
CA-HM-25	7.6 m	4K@60 Hz (4:4:4)
CA-HM-35	10.6 m	4K@60 Hz (4:4:4)
CA-HM-50	15.2 m	4K@60 Hz (4:2:0)
CA-HM-66	20 m	4K@60 Hz (4:2:0)
CA-HM-82	25 m	4K@60 Hz (4:2:0)
CA-HM-98	30 m	1080P

HDMI AOC

CLS-AOCH/60F

Active Optical 4K HDMI Cable — Low Smoke & Halogen Free



CLS-AOCH-33	10 m	4K@60 Hz (4:4:4)
CLS-AOCH-50	15.2 m	4K@60 Hz (4:4:4)
CLS-AOCH-66	20 m	4K@60 Hz (4:4:4)
CLS-AOCH-98	30 m	4K@60 Hz (4:4:4)
CLS-AOCH-131	40 m	4K@60 Hz (4:4:4)
CLS-AOCH-164	50 m	4K@60 Hz (4:4:4)
CLS-AOCH-197	60 m	4K@60 Hz (4:4:4)
CLS-AOCH-230	70 m	4K@60 Hz (4:4:4)
CLS-AOCH-262	80 m	4K@60 Hz (4:4:4)
CLS-AOCH-295	90 m	4K@60 Hz (4:4:4)

CP-AOCH/60F

Only in N. America

Active Optical 4K HDMI Cable — Plenum Rated



CP-AOCH-33	10 m	4K@60Hz (4:4:4)
CP-AOCH-50	15.2 m	4K@60Hz (4:4:4)
CP-AOCH-66	20 m	4K@60Hz (4:4:4)
CP-AOCH-98	30 m	4K@60Hz (4:4:4)
CP-AOCH-131	40 m	4K@60Hz (4:4:4)
CP-AOCH-164	50 m	4K@60Hz (4:4:4)
CP-AOCH-197	60 m	4K@60Hz (4:4:4)
CP-AOCH-230	70 m	4K@60Hz (4:4:4)
CP-AOCH-262	80 m	4K@60Hz (4:4:4)
CP-AOCH-295	90 m	4K@60Hz (4:4:4)

CLS-AOCH/UF

Ultra High-Speed HDMI Optic Hybrid Cable — Low Smoke & Halogen Free



CLS-AOCH/UF-33	10 m	8K@60 Hz
CLS-AOCH/UF-50	15.2 m	8K@60 Hz
CLS-AOCH/UF-66	20 m	8K@60 Hz
CLS-AOCH/UF-98	30 m	8K@60 Hz
CLS-AOCH/UF-131	40m	8K@60 Hz
CLS-AOCH/UF-164	50m	8K@60 Hz
CLS-AOCH/UF-197	60m	8K@60 Hz
CLS-AOCH/UF-230	70m	8K@60 Hz
CLS-AOCH/UF-262	80m	8K@60 Hz
CLS-AOCH/UF-295	90m	8K@60 Hz
CLS-AOCH/UF-328	100m	8K@60 Hz

Cable Assemblies

HDMI™

HDMI AOC

CP-AOCH/UF

Ultra High-Speed HDMI Optic Hybrid Cable — Plenum Rated

Only in N. America



CP-AOCH/UF-33	10 m	8K@60Hz (4:2:0)
CP-AOCH/UF-50	15.2 m	8K@60Hz (4:2:0)
CP-AOCH/UF-66	20 m	8K@60Hz (4:2:0)
CP-AOCH/UF-98	30 m	8K@60Hz (4:2:0)
CLS-AOCH/UF-131	40m	8K@60Hz (4:2:0)
CLS-AOCH/UF-164	50m	8K@60Hz (4:2:0)
CLS-AOCH/UF-197	60m	8K@60Hz (4:2:0)
CLS-AOCH/UF-230	70m	8K@60Hz (4:2:0)
CLS-AOCH/UF-262	80m	8K@60Hz (4:2:0)
CLS-AOCH/UF-295	90m	8K@60Hz (4:2:0)
CLS-AOCH/UF-328	100m	8K@60Hz (4:2:0)

CLS-AOCH/60

Active Optical 4K Pluggable HDMI Cable — Low Smoke & Halogen Free



CLS-AOCH/60-33	10 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-50	15.2 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-66	20 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-98	30 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-131	40 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-164	50 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-197	60 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-230	70 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-262	80 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-295	90 m	4K@60 Hz (4:4:4)
CLS-AOCH/60-328	100 m	4K@60 Hz (4:4:4)

CP-AOCH/60

Active Optical 4K Pluggable HDMI Cable — Plenum Rated

Only in N. America



CP-AOCH/60-33	10 m	4K@60Hz (4:4:4)
CP-AOCH/60-50	15.2 m	4K@60Hz (4:4:4)
CP-AOCH/60-66	20 m	4K@60Hz (4:4:4)
CP-AOCH/60-98	30 m	4K@60Hz (4:4:4)
CP-AOCH/60-131	40 m	4K@60Hz (4:4:4)
CP-AOCH/60-164	50 m	4K@60Hz (4:4:4)
CP-AOCH/60-197	60 m	4K@60Hz (4:4:4)
CP-AOCH/60-230	70 m	4K@60Hz (4:4:4)
CP-AOCH/60-262	80 m	4K@60Hz (4:4:4)
CP-AOCH/60-295	90 m	4K@60Hz (4:4:4)
CP-AOCH/60-328	100 m	4K@60Hz (4:4:4)

CP-AOCH/PF

Pure fiber Optical Armored 4K HDMI Cable



CP-AOCH/PF-33	10 m	4K@60Hz (4:4:4)
CP-AOCH/PF-50	15.2 m	4K@60Hz (4:4:4)
CP-AOCH/PF-66	20 m	4K@60Hz (4:4:4)
CP-AOCH/PF-98	30 m	4K@60Hz (4:4:4)
CP-AOCH/PF-131	40 m	4K@60Hz (4:4:4)
CP-AOCH/PF-164	50 m	4K@60Hz (4:4:4)
CP-AOCH/PF-197	60 m	4K@60Hz (4:4:4)
CP-AOCH/PF-230	70 m	4K@60Hz (4:4:4)
CP-AOCH/PF-262	80 m	4K@60Hz (4:4:4)
CRS-FIBERH-SI-6164	50 m	4K@60Hz (4:2:0)

CRS-FIBERH-SI

Secured Unidirectional HDMI over Pure Fiber Cable



CRS-FIBERH-SI-6	1.8 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-10	3.0 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-15	4.6 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-23	7 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-33	10 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-50	15.2 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-66	20 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-98	30 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-131	40 m	4K@60Hz (4:2:0)
CRS-FIBERH-SI-6164	50 m	4K@60Hz (4:2:0)

AD-AOCH/XL/TR

HDMI Adapter Set for AOCH/XL Cable



AD-AOCH/XL/TR	Up to 4K@60 Hz (4:4:4)
---------------	------------------------

AD-AOCD/XL/TR

DVI Tx&Rx Adapter Set for AOCH/XL and AOCH/60 Cables



AD-AOCD/XL/TR	DVI
Supported Resolutions — AD-AOCD/XL/TR: up to 1080p and UXGA (1600X1200 @60Hz) & WUXGA (1920X1200 @60Hz)	

CRS-PlugNView-H

Active Optical Armored 4K HDMI Cable



CRS-PlugNView-H-33	10.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-50	15.20 m	4K@60 (4:4:4)
CRS-PlugNView-H-66	20.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-98	30.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-131	40.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-164	50.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-197	60.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-230	70.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-262	80.00 m	4K@60 (4:4:4)
CRS-PlugNView-H-328	1000.00 m	4K@60 (4:4:4)

Cable Assemblies

HDMI™

HDMI to DVI

C-HM/DM

HDMI to DVI Cable



C-HM/DM-3	0.9 m	4K@60 Hz (4:4:4)
C-HM/DM-6	1.8 m	4K@60 Hz (4:4:4)
C-HM/DM-10	3.0 m	4K@60 Hz (4:2:0)
C-HM/DM-15	4.6 m	4K@60 Hz (4:2:0)
C-HM/DM-25	7.6 m	1080p@60 Hz 36 bit
C-HM/DM-35	10.6 m	1080p@60 Hz 36 bit
C-HM/DM-50	15.2 m	1080p@60 Hz

KVM

C-KVM

KVM Cable




C-KVM/2-6KVM 1.8 m

Fiber Optic

C-4LC/4LC

4 LC Fiber Optic Cable



C-4LC/4LC-99	30 m
C-4LC/4LC-200	60 m
C-4LC/4LC-328	100 m
C-4LC/4LC-984	300 m
C-4LC/4LC-1640	500 m
C-2LC/2LC-33	10 m
C-2LC/2LC-66	20 m
C-2LC/2LC-99	30 m

CLS-2LC/OM3

2 LC MM OM3 Fiber Optic Cable — Low Smoke & Halogen Free



CLS-2LC/OM3-33	10.00 m
CLS-2LC/OM3-164	50.00 m
CLS-2LC/OM3-246	75.00 m
CLS-2LC/OM3-328	100.00 m
CLS-2LC/OM3-558	170.00 m

C-SC/SC/OM4

OM4 Multi-Mode Fiber Optic Cable



C-SC/SC/OM4-98	30 m
C-SC/SC/OM4-164	50 m
C-SC/SC/OM4-246	75 m
C-SC/SC/OM4-328	100 m

610R/T

DVI Rx/Tx Extender over Ultra-Reach MM Fiber



Supported Resolutions — 1920x1200@60. Max. Data Rate — 4.95Gbps (1.65Gbps per graphic channel)

602R/T

Detachable DVI Optical Transmitter & Receiver



Max. Resolution — Up to WUXGA (1920x1200) @60Hz, 1080p.

614R/T

Single-Fiber Detachable DVI Optical Transmitter & Receiver



612R/T

4K60 4:4:4 DP Transmitter/Receiver over Extended-Reach MM Fiber Optic



Supported Resolutions — 4K@60(4:4:4)



617R/T

4K HDR HDMI Transmitter/Receiver over Extended-Reach MM Fiber Optic



Supported Resolutions — 4K@60(4:4:4)



Cable Assemblies

U/FTP CAT6

C-UNIKAT

CAT6A U/FTP Video & LAN Cable Assembly



C-UNIKat-2	0.6 m
C-UNIKat-3	0.9 m
C-UNIKat-6	1.8 m
C-UNIKat-10	3.0 m
C-UNIKat-15	4.6 m
C-UNIKat-25	7.6 m
C-UNIKat-35	10.6 m
C-UNIKat-50	15.2 m
C-UNIKat-75	22.9 m
C-UNIKat-100	30.5 m
C-UNIKat-125	38.1 m
C-UNIKat-150	45.7 m
C-UNIKat-164	50.0 m
C-UNIKat-200	60.0 m
C-UNIKat-230	70.0 m
C-UNIKat-328	100.0 m

PC6A-LS508

CAT6A S/FTP 500MHz 4x2x26AWG Patch Cord



PC6A-LS508-0.15M	0.15 m
PC6A-LS508-0.3M	0.3 m
PC6A-LS508-0.5M	0.5 m
PC6A-LS508-1M	1.0 m
PC6A-LS508-2M	2.0 m
PC6A-LS508-3M	3.0 m
PC6A-LS508-4M	4.0 m
PC6A-LS508-5M	5.0 m
PC6A-LS508-7M	20.0 m
PC6A-LS508-10M	10.0 m
PC6A-LS508-15M	15.0 m
PC6A-LS508-30M	30 m

DisplayPort

Passive

C-DPU

8K DisplayPort Cable



C-DPU-3	0.9 m	8K@60 Hz
C-DPU-6	1.8 m	8K@60 Hz
C-DPU-10	3.0 m	8K@60 Hz

C-DP

4K DisplayPort Cable



C-DP-3	0.9 m	4K@60 Hz (4:4:4)
C-DP-6	1.8 m	4K@60 Hz (4:4:4)
C-DP-10	3.0 m	4K@60 Hz (4:4:4)
C-DP-15	4.6 m	4K@60 Hz (4:4:4)
C-DP-25	7.6 m	4K@60 Hz (4:4:4)
C-DP-35	10.6 m	4K@60 Hz (4:2:0)
C-DP-50	15.2 m	1080p@60

C-MDPM/MDPM

Flexible DisplayPort Cable



C-MDPM/MDPM-3	0.9 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-6	1.8 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-10	3.0 m	4K@60 Hz (4:4:4)
C-MDPM/MDPM-15	4.6 m	4K@60 Hz (4:2:0)
C-MDPM/MDPM-25	7.6 m	1080@60 Hz 12-bit

AOC

CLS-AOCDP/UF

Active Optical DisplayPort Cable-Low Somke Halogen Free



CLS-AOCDP/UF-33	10.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-50	15.2 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-66	20.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-98	30.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-131	40.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-164	50.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-197	60.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-230	70.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-262	80.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-295	90.0 m	8K@60 Hz (4:4:4)
CLS-AOCDP/UF-328	100.0 m	8K@60 Hz (4:4:4)

CP-AOCDP/UF

Active Optical DisplayPort Cable-Plenum rated



CP-AOCDP/UF-33	10 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-50	15m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-66	20 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-98	30 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-131	40 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-164	50 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-197	60 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-230	70 m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-262	80m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-295	90m	8K@60 Hz (4:4:4)
CP-AOCDP/UF-328	100 m	8K@60 Hz (4:4:4)

Cable Assemblies

DisplayPort to HDMI

C-MDP/DPM

Mini DisplayPort to DisplayPort Cable



C-MDP/DPM-3	0.9 m	4K@60 Hz (4:4:4)
C-MDP/DPM-6	1.8 m	4K@60 Hz (4:4:4)

C-DPM/HM

DisplayPort to HDMI Cable



C-DPM/HM-3	0.9 m	1080p@60
C-DPM/HM-6	1.8 m	1080p@60
C-DPM/HM-10	3.0 m	1080p@60
C-DPM/HM-15	4.6 m	1080p@60

C-DPM/HM/UHD

DisplayPort (M) to HDMI (M) 4K Active Cable



C-DPM/HM/UHD-3	0.9 m	4K@60 Hz (4:4:4)
C-DPM/HM/UHD-6	1.8 m	4K@60 Hz (4:4:4)
C-DPM/HM/UHD-10	3.0 m	4K@60 Hz (4:4:4)

C-DPM/HM/UHD

Mini DisplayPort (M) to HDMI (M) 4K Active Cable



C-MDP/HM/UHD-3	0.9 m	4K@60 Hz (4:4:4)
C-MDP/HM/UHD-6	1.8 m	4K@60 Hz (4:4:4)
C-MDP/HM/UHD-10	3.0 m	4K@60 Hz (4:4:4)

IR

C-A35M/IRE



C-A35M/IRE-10 (Single)	3.0 m
------------------------	-------

C-A35M/IRRW

3.5mm Male to Wide-Range IR Receiver Cable



C-A35M/IRRW	0.9 m
-------------	-------

RS-232

C-D9M/D9F

RS-232 Control Cable



C-D9M/D9F-3	0.9 m
C-D9M/D9F-6	1.8 m
C-D9M/D9F-10	3.0 m
C-D9M/D9F-15	4.6 m
C-D9M/D9F-25	7.6 m
C-D9M/D9F-35	10.6 m
C-D9M/D9F-50	15.2 m

C-D9F/OPEN

RS-232 to Open End Control Cable



C-D9F/OPEN-3	0.9 m
C-D9F/OPEN-6	1.8 m
C-D9F/OPEN-10	3.0 m
C-D9F/OPEN-35	10.6 m
C-D9F/OPEN-50	15.2 m

Cable Assemblies

DVI

C-DM/DM

DVI Dual Link Copper Cable



C-DM/DM-1.5	0.5 m	2560x1600
C-DM/DM-3	0.9 m	2560x1600
C-DM/DM-6	1.8 m	2560x1600
C-DM/DM-10	3.0 m	2560x1600
C-DM/DM-15	4.6 m	2560x1600
C-DM/DM-25	7.6 m	2560x1600
C-DM/DM-33	10 m	1920x1200
C-DM/DM-40	12 m	1920x1200
C-DM/DM-50	15.5 m	1920x1200
C-DM/DM-65	19.5 m	800x600

C-DM/DM/XL

DVI Single Link Copper Cable



C-DM/DM/XL-3	0.9 m	4K@30 Hz/1920x1200
C-DM/DM/XL-6	1.8 m	4K@30 Hz/1920x1200
C-DM/DM/XL-10	3.0 m	4K@30 Hz/1920x1200
C-DM/DM/XL-15	4.6 m	4K@30 Hz/1920x1200
C-DM/DM/XL-25	7.6 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-35	10.6 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-50	15.2 m	1080p@60 Hz 36 bit/1920x1200
C-DM/DM/XL-65	19.5 m	1080p@60 Hz 36 bit/1920x1200

C-MDM/MDM

Flexible DVI Single Link Copper Cable



C-MDM/MDM-3	0.9 m	1920x1200
C-MDM/MDM-6	1.8 m	1920x1200
C-MDM/MDM-10	3.0 m	1920x1200
C-MDM/MDM-15	4.6 m	1920x1200
C-MDM/MDM-25	7.6 m	1920x1200

Audio

C-XLQM/XLQF

XLR Quad Cable



C-XLQM/XLQF-1	0.3 m
C-XLQM/XLQF-1.5	0.5 m
C-XLQM/XLQF-3	0.9 m
C-XLQM/XLQF-6	1.8 m
C-XLQM/XLQF-10	3.0 m
C-XLQM/XLQF-15	4.6 m
C-XLQM/XLQF-25	7.6 m
C-XLQM/XLQF-35	10.6 m
C-XLQM/XLQF-50	15.2 m
C-XLQM/XLQF-75	22.9 m
C-XLQM/XLQF-100	30.5 m
C-XLQM/XLQF-125	38.1 m
C-XLQM/XLQF-150	45.7 m

C-A63M/XLM

6.3mm Male to 3-pin XLR Male Cabl



C-A63M/XLM-10	3.0 m
---------------	-------

C-A35M/A35M

3.5mm Stereo Audio Cable



C-A35M/A35M-3	0.9 m
C-A35M/A35M-6	1.8 m
C-A35M/A35M-10	3.0 m
C-A35M/A35M-15	4.6 m
C-A35M/A35M-25	7.6 m
C-A35M/A35M-35	10.6 m
C-A35M/A35M-50	15.2 m
C-A35M/A35M-65	19.5 m
C-A35M/A35M-75	22.9 m
C-A35M/A35M-100	30.5 m

C-A35M/2RAM

3.5mm to 2 RCA Breakout Cable



C-A35M/2RAM-3	0.9 m
C-A35M/2RAM-6	1.8 m
C-A35M/2RAM-10	3.0 m
C-A35M/2RAM-15	4.6 m
C-A35M/2RAM-25	7.6 m
C-A35M/2RAM-35	10.6 m
C-A35M/2RAM-50	15.2 m

C-2RAM/2RAM

RCA Stereo Audio Cable



C-2RAM/2RAM-3	0.9 m
C-2RAM/2RAM-6	1.8 m
C-2RAM/2RAM-10	3.0 m
C-2RAM/2RAM-15	4.6 m
C-2RAM/2RAM-25	7.6 m
C-2RAM/2RAM-50	15.2 m

Cable Assemblies

VGA

C-GM/GM

15-pin HD to 15-pin HD Cables



C-GM/GM-1	0.3 m
C-GM/GM-3	0.9 m
C-GM/GM-6	1.8 m
C-GM/GM-10	3.0 m
C-GM/GM-15	4.6 m
C-GM/GM-25	7.6 m
C-GM/GM-35	10.6 m
C-GM/GM-50	15.2 m
C-GM/GM-75	22.9 m
C-GM/GM-100	30.5 m
C-GM/GM-125	38.1 m
C-GM/GM-150	45.7 m

C-MGM/MGM

15-pin HD Micro Cable



C-MGM/MGM-1	0.3 m
C-MGM/MGM-2	0.6 m
C-MGM/MGM-3	0.9 m
C-MGM/MGM-6	1.8 m
C-MGM/MGM-10	3.0 m
C-MGM/MGM-15	4.6 m
C-MGM/MGM-25	7.6 m
C-MGM/MGM-35	10.7 m

C-GMA/GMA

15-pin HD & 3.5mm Stereo Audio Cable



C-GMA/GMA-3	0.9 m
C-GMA/GMA-6	1.8 m
C-GMA/GMA-10	3.0 m
C-GMA/GMA-15	4.6 m
C-GMA/GMA-25	7.6 m
C-GMA/GMA-35	10.6 m
C-GMA/GMA-50	15.2 m
C-GMA/GMA-75	22.9 m

C-MGMA/MGMA

15-pin HD & 3.5mm Stereo Audio Micro Cable



C-MGMA/MGMA-3	0.9 m
C-MGMA/MGMA-6	1.8 m
C-MGMA/MGMA-10	3.0 m
C-MGMA/MGMA-15	4.6 m
C-MGMA/MGMA-25	7.6 m

BNC

C-BM/BM

BNC Coax Video Cable



C-BM/BM-1.5	0.5 m
C-BM/BM-3	0.9 m
C-BM/BM-6	1.8 m
C-BM/BM-10	3.0 m
C-BM/BM-15	4.6 m
C-BM/BM-25	7.6 m
C-BM/BM-35	10.6 m
C-BM/BM-50	15.2 m
C-BM/BM-75	22.9 m
C-BM/BM-100	30.5 m
C-BM/BM-150	45.7 m

Adapters

Analog Adapters



AD-BF/RM
BNC (F) to RCA (M) Adapter



AD-BM/RF
BNC (M) to RCA (F) Adapter



AD-BF/BF
BNC (F/F) Gender Changer



AD-GF/GF
15-pin HD (F/F) Gender Changer

Digital Adapters



AD-DM/HF
DVI-D (M) to HDMI (F) Adapter



AD-DF/HM
DVI-I (F) to HDMI (M) Adapter



AD-DM/GF
DVI (M) to 15-pin HD (F) Adapter



AD-HF/HF
HDMI (F/F) Gender Changer



AD-HF/HF/RA
HDMI (F) to HDMI (F) Right-Angled Gender Changer



AD-HF/HM/RA
HDMI (F) to HDMI (M) Right-Angled Adapter



AD-DF/DM/RA
DVI-I (F) to DVI-I (M) Right-Angled Adapter



ADC-DM/HF
DVI-D (M) to HDMI (F) Adapter Cable



ADC-DF/HM
DVI-I (F) to HDMI (M) Adapter Cable



AD-UC/HF
USB C male to HDMI female 4K@30



AD-MDP/DPF
mini DisplayPort to DisplayPort 1920x1200

Adapters

AD-RING



AD-RING-4



USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter Cable	4K



AD-RING-5



USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	4K
DisplayPort (M) to HDMI (F)	Adapter	4K
Mini HDMI type-C (M) to HDMI (F)	Adapter	4K



AD-RING-6



USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	4K
DisplayPort (M) to HDMI (F)	Adapter	4K



AD-RING-7



USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	4K
DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200



AD-RING-8

USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	4K



AD-RING-11

USB type-C (M) to HDMI (F)	Adapter	4K
Mini DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200
DisplayPort (M) to HDMI (F)	Adapter	1080p/1920x1200



AD-RING-12

USB type-C (M) to HDMI (F)	Adapter Cable	4K
Mini DisplayPort (M) to HDMI (F)	Adapter Cable	1080p/1920x1200
DisplayPort (M) to HDMI (F)	Adapter Cable	1080p/1920x1200



TL-RING

Adapter Ring Tool Set



K-Spider

Active Multi-Format Input (M) to HDMI Output (M) Adapter Cable 4K@60Hz



C-CU32/UC+H

Active Multi-Format Input (M) to USB C Output (M) Adapter Cable

Adapter Cables



ADC-DPM/DF

DisplayPort (M) to DVI-I (F) Adapter Cable



ADC-DPM/HF

DisplayPort (M) to HDMI (F) Adapter Cable



ADC-DPM/GF

DisplayPort (M) to 15-pin HD (F) Adapter Cable



ADC-HM/DPF

4K HDMI (M) to DisplayPort(F) Adapter Cable



ADC-MDP/MI

Mini DisplayPort to DVI, HDMI or VGA Adapter Cable



ADC-MDP/M2

Mini DisplayPort to DVI, HDMI or DisplayPort Adapter Cable



ADC-DPM/HF/UHD

DisplayPort (M) to HDMI (F) 4K Active Adapter Cable



ADC-MDP/HF/UHD

Mini DisplayPort (M) to HDMI (F) 4K Active Adapter Cable



ADC-DPM/MDPF

DisplayPort (M) to Mini DisplayPort (F) Adapter Cable



ADC-U31C/HF

USB 3.1 Type-C to HDMI Adapter Cable



ADC-U31C/M2

USB 3.1 Type-C to HDMI (F) & USB 3.0 & PD Adapter Cable



AD-USB31/CAE

USB 3.1 C(M) to A(F) Adapter



AD-USB3/AC

USB 3.0 Type-C (F) to Type-A (M) Adapter



AD-UCF/UCF

USB 3.1 Type-C (F) to Type-C (F) Adapter



C-USBC/DPM-6

USB Type-C (M) to DisplayPort (M) Cable



C-USBC/GM-6

USB Type-C (M) to 15-pin HD (M) Cable

Docking Station



KDock-1

USB-C Hub Multiport Adapter
4K@30 HDMI output
USB 3.0
USB-C charging pass-through



KDock-3

4K@30 HDMI output
4K@30 DisplayPort output
USB 3.0 data and charging port
Ethernet port
USB-C data port and charging pass-through



KDock-5

4K@30 HDMI output
4K@30 DisplayPort output
USB 3.0 data and charging ports
Ethernet port
Audio in/out port
USB-C data port
USB-C charging pass-through



KDock-6

Laptop holder
4K@30 HDMI output
4K@30 DisplayPort output
USB 3.0 data and charging ports
Ethernet port
Audio in/out port
USB-C data port
USB-C charging pass-through

Adapters & Accessories

RG-6



CC-BNC-6

CON-COMP-BNC/M/RG-6;
BNC Compression Connector for RG-6 Coax
Cable; 25 pieces



CCR-BNC-6

BNC (M) PLUG CRIMP FOR RG-6

RG-45



CON-RJ45-3

K-LAN Crimp Style RJ-45 Connectors for
Category Cables



CABLE BOOT

Connector Boot for RJ-45
CB-BLACK
CB-LBLUE
CB-GRAY
CB-GREEN
CB-PURPLE



CON-FIELD

Field Assembly Shielded RJ-45 Connectors
for CAT Cable
Fixed connector



CON-FIELD-360

Field Assembly Shielded RJ-45 Connectors
for CAT Cable
With variable cable entry, 8 positions
possible

Bulk cables

CAT6A



BC-UNIKAT/LSHF

CAT6A U/FTP Video & LAN Bulk Cable — Low Smoke & Halogen Free

BC-UNIKAT/LSHF-100M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	100 m
BC-UNIKAT/LSHF-305M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	305 m
BC-UNIKAT/LSHF-500M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Blue)	500 m
BC-UNIKAT/LSHF/BK-305M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Black)	305 m



BC-UNIKAT/B2CA

CAT6A U/FTP Video & LAN Bulk Cable — Low Smoke & Halogen Free

BC-UNIKAT/B2ca-305M	23 AWG U/FTP CAT6A Bulk Cable Optimized for Kramer's DGKat, HDBaseT and LAN applications (Black jacket and Reaction to fire, in accordance with Regulation (EU) No 305/2011, B2ca-s1.d1.a1)	305 m
---------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------

CAT7A



BC-DGKat7a23

Four-Pair S/FTP Data Bulk Cable (23AWG)

BC-DGKat7a23-100M	23 AWG STP Bulk Cable Optimized for Kramer DVI & HDMI Products	100 m
BC-DGKat7a23-305M	23 AWG STP Bulk Cable Optimized for Kramer DVI & HDMI Products	305 m

Speaker



BC-2S12/LSHF

Speaker Bulk Cable — Low Smoke & Halogen Free

BC-2S12/LSHF-300M	Speaker Cable 12AWG — Low Smoke & Halogen Free	300 m
-------------------	------------------------------------------------	-------



BC-2S14/LSHF

Speaker Bulk Cable — Low Smoke & Halogen Free

BC-2S14/LSHF-300M	Speaker Cable 14AWG — Low Smoke & Halogen Free	300 m
-------------------	------------------------------------------------	-------



BC-2S

Speaker Bulk Cable

BC-2S-300M	1 Pair; 16 AWG Speaker Bulk Cable	300 m
BC-2S-300M (B)	1 pair; 16 AWG Speaker Bulk Cable (Black)	300 m

Audio / Control



BC-2S/18

Speaker Bulk Cable

BC-2S/18-100M	1 Pair; 18 AWG Speaker Bulk Cable	100 m
---------------	-----------------------------------	-------



BC-IT

Mono Audio/Control Bulk Cable

BC-IT-300M	1 Shielded Pair; 20 AWG Audio or Control Bulk Cable	300 m
------------	-----------------------------------------------------	-------



BC-2T

Stereo Audio/Control Bulk Cable

BC-2T-300M	2 Shielded Pair; 20 AWG Audio or Control Bulk Cable	300 m
------------	-----------------------------------------------------	-------

COAX



BC-IX

1 Coax RG-6 Super High-Resolution Bulk Cable

BC-IX-100M	1 Coax; RG-6 Bulk Cable	100 m
BC-IX-300M	1 Coax; RG-6 Bulk Cable	300 m

Table Boxes



In-Table TBUS

In-Table rectangular tabletop connectivity solution for 2 modules



T-IN2-REC1 Baseline

Table cutout dimensions:
131 x 58mm (5.16" x 2.28")

Outer dimensions (L, W, H):
142 x 66 x 77mm (5.59" x 2.6" x 3.03")

T-IN2-REC2 Plus

Table cutout dimensions:
134 X 89mm (5.28" x 3.5")

Outer dimensions (L, W, H):
142 X 99.5 x 113mm (5.59" x 3.91" x 4.45")

Optional colors



In-Table rectangular tabletop connectivity solution for 4 modules



T-IN4-REC1 Baseline

Table cutout dimensions:
231 x 58mm (9.09" x 2.28")

Outer dimensions (L, W, H):
242 x 66 x 77mm (9.53" x 2.6" x 3.03")

T-IN4-REC2 Plus

Table cutout dimensions:
234 x 89mm (9.21" x 3.5")

Outer dimensions (L, W, H):
242 x 99.5 x 113mm (5.59" x 3.91" x 4.45")

Optional colors



In-Table rectangular tabletop connectivity solution for 6 modules



T-IN6-REC1 Baseline

Table cutout dimensions:
331 x 58mm (13.03" x 2.28")

Outer dimensions (L, W, H):
342 x 66 x 77mm (13.46" x 2.6" x 3.03")

T-IN6-REC2 Plus

Table cutout dimensions:
334 x 89mm (13.15" x 3.5")

Outer dimensions (L, W, H):
342 x 99.5 x 113mm (13.46" x 3.91" x 4.45")

Optional colors



In-Table round tabletop connectivity solution for 2 modules



T-IN2-RND1 Baseline

Table cutout dimensions: Ø139 mm (5-1/2")

Outer dimensions (L, W, H): Ø146 x 82mm (5-3/4" x 3.22")

T-IN2-RND2 Plus

Optional colors



Modules

Data (MD)


MD-2C/2CM, MD-C/CM

Passive module

1 or 2 USBC full-featured - 4K@60 (4:4:4); 10Gbps; 100W power charging

Input: Female

Output: 40cm male pig-tale



MD-H+B/AF

Passive module

1 HDMI port

1 USB-B port

Input: Female

Output: HDMI + USBA - Female




MD-2RJ45

Passive module

Input: 2 RJ45 ports

Output: 2 Females



Power socket (MP)*

MP-U

Universal power socket

Input: C14



MP-US

US power socket


Input: C14



MP-DE

Europe power socket

Input: C14



MP-GB

United Kingdom power socket

Input: C14



MP-IL

Israel power socket

Input: C14




* More power sockets coming soon

Modules

Charging (MC)


MC-2C130W

2 ports USB-C 130W
100W when one port is connected, 65W each when both ports are connected
Input: C14



MC-C65W/A18W

USBC 65W port + USB-A 18W port
Input: C14



Pass-through / General (M)


M-BLANK

Blank module to fill the gap when using 50x25 module



MCP-1

Pass-through module with 1 hole



MCP-2

Pass-through module with 2 holes



T-REC-5-HDMI

Retractor for HDMI - cable 170cm length



T-REC-5-U32/FF

Retractor for U32/FF - full-featured - 4K@60 (4:4:4);
10Gbps; 100W power charging cable 170cm length




kramerav.com

For more information:



kramerav.com/feat-products/audio-visual-cables-connectivity/



© January 2025 Kramer Electronics, Ltd. All rights reserved. Reproduction in whole or part without written permission is prohibited.

DECORA® is a registered trademark of Leviton Manufacturing Co., Inc. The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are trademarks or registered trademarks of HDMI Licensing Administrator, Inc.